

# OREGON WHEAT VARIETIES



**NATIONAL  
AGRICULTURAL  
STATISTICS  
SERVICE**

July 12, 2011  
PRESS RELEASE  
Internet-[www.nass.usda.gov/or](http://www.nass.usda.gov/or)  
Email: [nass-or@nass.usda.gov](mailto:nass-or@nass.usda.gov)

**USDA, NASS, Oregon Field Office**  
805 SW Broadway, Suite 910  
Portland, Oregon 97205  
(503) 326-2131 or 1-800-338-2157

## Oregon 2011 wheat varieties: ORCF 101 again #1

ORCF 101 (OSU Clearfield) accounted for 20.1 percent of the planted acreage this year, up from 18.9 percent from 2010. Last year ORCF 101 replaced Stephens as the leading variety for Oregon. Stephens had held that distinction since 1979. There were three other varieties that pushed Stephens to the number 5 spot this year at 9.5 percent, down from 12.0 percent. The second most planted variety was Tubbs 06 at 15.3 percent, up from 9.8 percent. ORCF 102 (OSU Clearfield) came in third at 11.9 percent, up from last year's 6.8 percent. Fourth was Goetze at 9.7 percent, up from 9.4 percent last year. District level estimates were made for 46 varieties and mixtures plus a grouping of all other varieties for each class of wheat.

This report is the result of a survey conducted by the Oregon Field Office of the National Agricultural Statistics Service. Funding for the survey was provided by the Oregon Wheat Commission. This report would not be possible without the cooperation of participating farmers and ranchers.

**Wheat varieties: Percent of acreage by district, Oregon 2010-2011**

Variety	Varieties as a percent of planted acres within each district							
	North Central		Northeast		Southeast		Northwest <sup>1</sup>	
	2010	2011	2010	2011	2010	2011	2010	2011
	<i>Percent</i>	<i>Percent</i>	<i>Percent</i>	<i>Percent</i>	<i>Percent</i>	<i>Percent</i>	<i>Percent</i>	<i>Percent</i>
Alpowa	6.0	3.5	1.8	1.1	9.8	28.6	5.0	2.9
Alturus	0.7	-	-	-	-	1.4	0.4	1.5
AP700CL	1.0	-	1.8	1.8	-	-	-	-
Brundage 96	-	-	0.5	1.4	2.4	0.7	-	-
Cabernet	-	-	0.7	0.3	4.9	4.3	-	-
Coda	2.5	1.5	0.3	0.3	-	-	-	-
Delco	-	-	1.3	0.2	-	-	-	-
Gene	1.0	-	-	-	-	-	-	-
Goetze	2.4	1.3	1.0	0.8	-	0.7	54.5	64.0
Hank	-	-	2.0	1.8	-	0.7	-	-
Jefferson	3.0	1.8	1.0	0.8	-	-	-	-
Louise	1.9	3.3	0.7	1.8	-	-	3.6	3.3
Madsen	0.4	-	0.8	0.3	-	-	4.3	2.2
Madsen/Stephens/Tubbs	0.5	-	-	0.6	-	-	-	-
Madsen/Tubbs	-	-	0.5	0.6	-	-	0.4	-
Merrill	1.4	1.1	-	-	-	-	-	-
Nick	-	-	1.0	1.6	2.4	-	-	-
Northwest 553	0.8	1.5	4.1	3.5	-	-	-	-
ORCF 101 (OSU Clearfield)	36.6	41.2	2.0	1.1	1.2	-	-	0.4
ORCF 102 (OSU Clearfield)	1.9	7.6	18.7	26.4	-	-	-	-
Rod/Tubbs	-	-	2.2	2.6	-	-	-	-
Skiles	-	1.3	-	1.0	-	1.4	-	-
Skiles/Goetze	-	1.4	-	-	-	-	-	0.2
Stephens	12.8	10.1	10.1	7.2	53.7	32.1	1.1	1.1
Stephens/Tubbs	-	1.0	4.0	0.3	-	-	-	-
Stephens/Whetbred 528	-	-	-	4.2	-	-	-	-
Tubbs	11.1	0.1	10.4	0.3	2.4	-	7.9	1.5
Tubbs 06	8.7	20.3	10.3	12.2	-	1.4	15.4	11.8
Yamhill	-	-	-	-	3.7	0.7	1.4	2.2
Yecora Rojo	-	-	-	-	6.1	9.0	-	0.7
Other varieties	7.3	3.0	24.8	27.8	13.4	19.0	6.0	8.2
<b>Planted acres <sup>2</sup></b>	<b>477,500</b>	<b>473,000</b>	<b>302,000</b>	<b>311,000</b>	<b>41,000</b>	<b>70,000</b>	<b>139,500</b>	<b>136,000</b>

<sup>1</sup> Northwest District includes small amount of acreage from the Southwest District.

<sup>2</sup> 2011 planted acres are preliminary estimates.

(-) None or combined into other varieties.

**Wheat varieties, by class and totals by type, Oregon 2010-2011**

Variety by class	Percent of all wheat		Planted acres <sup>1</sup>		2011 planted acres by district <sup>1</sup>			
	2010 <sup>2</sup>	2011 <sup>2</sup>	2010	2011	NC	NE	SE	NW <sup>3</sup>
	Percent	Percent	Acres	Acres	Acres	Acres	Acres	Acres
<b>White wheat varieties</b>								
<b>Soft white winter</b>								
AP700CLAP	1.1	0.6	10,500	5,500	-	5,500	-	-
Brundage 96	0.3	0.5	2,500	5,000	-	4,500	500	-
Gene	0.5	-	5,000	-	-	-	-	-
Goetze	9.4	9.7	90,500	96,000	6,000	2,500	500	87,000
Madsen	1.1	0.4	10,500	4,000	-	1,000	-	3,000
Madsen/Stephens	0.3	-	3,000	-	-	-	-	-
Madsen/Stephens/Tubbs	0.3	0.2	2,500	2,000	-	2,000	-	-
Madsen/Tubbs	0.2	0.2	2,000	2,000	-	2,000	-	-
Malcolm	-	0.1	-	1,000	-	-	-	1,000
ORCF 101 (OSU Clearfield)	18.9	20.1	181,500	199,000	195,000	3,500	-	500
ORCF 102 (OSU Clearfield)	6.8	11.9	65,500	118,000	36,000	82,000	-	-
Rod	-	0.2	-	2,000	-	2,000	-	-
Rod/Tubbs	0.7	0.8	6,500	8,000	-	8,000	-	-
Skiles	-	1.0	-	10,000	6,000	3,000	1,000	-
Skiles/Goetze	-	0.7	-	6,500	6,500	-	-	-
Stephens	12.0	9.5	115,000	94,500	48,000	22,500	22,500	1,500
Stephens/Tubbs	1.3	0.6	12,000	5,500	4,500	1,000	-	-
Stephens/Westbred 528	-	1.3	-	13,000	-	13,000	-	-
Tubbs	10.1	0.4	96,500	3,500	500	1,000	-	2,000
Tubbs 06	9.8	15.3	94,000	151,000	96,000	38,000	1,000	16,000
Yamhill	0.4	0.4	3,500	3,500	-	-	500	3,000
Other varieties	7.1	5.3	69,000	52,000	6,000	42,000	1,500	2,500
<b>Total</b>	<b>80.2</b>	<b>79.0</b>	<b>770,000</b>	<b>782,000</b>	<b>404,500</b>	<b>233,500</b>	<b>27,500</b>	<b>116,500</b>
<b>Soft white spring</b>								
Alpowa	4.7	4.4	45,000	44,000	16,500	3,500	20,000	4,000
Alturas	0.4	0.3	4,000	3,000	-	-	1,000	2,000
Babe	-	0.3	-	3,000	-	3,000	-	-
Louise	1.7	2.6	16,000	25,500	15,500	5,500	-	4,500
Merrill	0.2	0.2	2,000	1,500	-	-	-	1,500
Nick	0.4	0.5	4,000	5,000	-	5,000	-	-
Whit	-	0.5	-	4,500	-	500	-	4,000
Other varieties	0.7	1.1	7,000	10,500	500	1,000	8,000	1,000
<b>Total</b>	<b>8.1</b>	<b>9.8</b>	<b>78,000</b>	<b>97,000</b>	<b>32,500</b>	<b>18,500</b>	<b>29,000</b>	<b>17,000</b>
<b>White club</b>								
Cara	-	0.2	-	1,500	1,000	500	-	-
Chukar	-	0.4	-	3,500	-	3,500	-	-
Coda	1.4	0.8	13,000	8,000	7,000	1,000	-	-
Other varieties	0.1	0.1	1,000	1,000	500	500	-	-
<b>Total</b>	<b>1.5</b>	<b>1.4</b>	<b>14,000</b>	<b>14,000</b>	<b>8,500</b>	<b>5,500</b>	<b>-</b>	<b>-</b>
<b>All white wheat</b>	<b>89.8</b>	<b>90.2</b>	<b>862,000</b>	<b>893,000</b>	<b>445,500</b>	<b>257,500</b>	<b>56,500</b>	<b>133,500</b>

<sup>1</sup> 2011 planted acres are preliminary estimates.

<sup>2</sup> Percentages may not add to class totals due to rounding.

<sup>3</sup> Northwest District includes small amount of acreage from the Southwest District.

(-) None or combined into other varieties.

**Wheat varieties, by class and totals by type, Oregon 2010-2011**


Variety by class	Percent of all wheat		Planted acres <sup>1</sup>		2011 planted acres by district <sup>1</sup>			
	2010 <sup>2</sup>	2011 <sup>2</sup>	2010	2011	NC	NE	SE	Other <sup>3</sup>
	<i>Percent</i>	<i>Percent</i>	<i>Acres</i>	<i>Acres</i>	<i>Acres</i>	<i>Acres</i>	<i>Acres</i>	<i>Acres</i>
<b>Red wheat varieties</b>								
<b>Hard red winter</b>								
Boundary	0.1	0.1	1,000	800	-	800	-	-
Delco	0.4	0.1	4,000	700	-	700	-	-
Northwest 553	1.7	1.8	16,500	18,000	7,000	11,000	-	-
Paladin	0.4	-	4,000	-	-	-	-	-
Sinope	-	0.2	-	2,000	-	2,000	-	-
Whetstone	-	0.1	-	500	-	500	-	-
Other varieties	1.1	1.2	10,500	12,000	5,000	6,500	500	-
<b>Total</b>	<b>3.8</b>	<b>3.4</b>	<b>36,000</b>	<b>34,000</b>	<b>12,000</b>	<b>21,500</b>	<b>500</b>	<b>-</b>
<b>Hard red spring</b>								
Buck-Pronto	-	0.4	-	4,000	-	4,000	-	-
Cabernet	0.4	0.4	4,000	3,900	-	900	3,000	-
Express	1.5	0.1	14,500	500	-	500	-	-
Expresso	-	0.6	-	6,000	2,000	4,000	-	-
Hank	0.6	0.6	6,000	6,000	-	5,500	500	-
Jefferson	1.8	1.1	17,500	11,200	8,800	2,500	-	-
Solana	0.6	0.7	6,000	6,600	-	5,500	-	-
Tara 2002	0.1	0.1	1,000	500	-	500	-	-
Yecora Rojo	0.3	0.7	2,500	7,300	-	-	6,300	1,000
Other varieties	1.1	1.5	10,500	15,000	4,500	8,500	3,000	-
<b>Total</b>	<b>6.5</b>	<b>6.2</b>	<b>62,000</b>	<b>61,000</b>	<b>15,300</b>	<b>31,900</b>	<b>12,800</b>	<b>1,000</b>
<b>All red wheat</b>	<b>10.2</b>	<b>10.8</b>	<b>98,000</b>	<b>95,000</b>	<b>27,300</b>	<b>53,400</b>	<b>13,300</b>	<b>1,000</b>
<b>All other wheat</b>	<b>-</b>	<b>0.2</b>	<b>-</b>	<b>2,000</b>	<b>200</b>	<b>100</b>	<b>200</b>	<b>1,500</b>
<b>All wheat by type</b>								
<b>Winter wheat</b>	85.4	83.8	820,000	830,000	425,000	260,500	28,000	116,500
<b>Spring Wheat</b>	14.6	16.2	140,000	160,000	48,000	50,500	42,000	19,500
<b>All wheat</b>	100.0	100.0	960,000	990,000	473,000	311,000	70,000	136,000

<sup>1</sup> 2011 planted acres are preliminary estimates.


<sup>2</sup> Percentages may not add to class totals due to rounding.

<sup>3</sup> Northwest District includes small amount of acreage from the Southwest District.

(-) None or combined into other varieties.



## Percent of all wheat by class, 2011



## List of counties within each district

### Northwest

Benton  
Clackamas  
Clatsop  
Columbia  
Lane  
Lincoln  
Linn  
Marion  
Multnomah  
Polk  
Tillamook  
Yamhill  
Washington

### North Central

Gilliam  
Hood River  
Morrow  
Sherman  
Wasco

### Northeast

Baker  
Umatilla  
Union  
Wallowa

### Southwest

Coos  
Curry  
Douglas  
Jackson  
Josephine

### Southeast

Crook  
Deschutes  
Grant  
Harney  
Jefferson  
Klamath  
Lake  
Malheur  
Wheeler

For more details, please contact the Oregon Field Office of USDA, NASS at (503) 326-2131 or 1-800-338-2157 or via email at [nass-or@nass.usda.gov](mailto:nass-or@nass.usda.gov). Information is also available on our home page: [www.nass.usda.gov/or](http://www.nass.usda.gov/or).